



---

## Code of Practice for the Safe Handling of Corpses Containing Radioactive Materials (1986)



The NHMRC has rescinded this publication in accordance with its policy of reviewing documents published more than 10 years ago. The NHMRC policy with regard to rescinded documents/publications can be found at [www.nhmrc.gov.au](http://www.nhmrc.gov.au). ARPANSA has taken over responsibility of the review process for this publication. Continued use of publications is subject to the individual requirements of the relevant regulatory authority in each jurisdiction. The relevant authority should be consulted regarding the use of the advice contained in this publication. All publications in the Radiation Health Series will be progressively reviewed by ARPANSA's Radiation Health Committee and, where appropriate, will be re-published as part of the ARPANSA Radiation Protection Series. Enquiries about the Radiation Health Series publications should be forwarded to the ARPANSA Standards Development and Committee Support Section, 619 Lower Plenty Road, Yallambie, Victoria, 3085. Tel: 03 9433 2211, Fax: 03 9433 2353, Email: [secretariat@arpansa.gov.au](mailto:secretariat@arpansa.gov.au).

**NATIONAL HEALTH AND MEDICAL RESEARCH COUNCIL**



---

# **Code of Practice for the Safe Handling of Corpses Containing Radioactive Materials (1986)**

Note: Copy extracted from Report of the 101st Session of the NH&MRC (appendix XXI)

© Commonwealth of Australia 1987

ISBN 0 644 06520 6

First published May 1987 as an appendix to the *Report of the 101st session* (NHMRC)  
Brisbane, 1986

Reprinted June 1987

This work is copyright. Apart from any fair dealing for the purpose of study, research, criticism or review, as permitted under the Copyright Act, no part may be reproduced by any process without written permission. Copyright is the responsibility of the Director Publishing and Marketing, AGPS. Inquiries should be directed to the Manager, AGPS Press, Australian Government Publishing Service, G.P.O. Box 84, Canberra, A.C.T. 2601.

Printed in Australia by Canberra Publishing & Printing Co.

# Code of Practice for the Safe Handling of Corpses Containing Radioactive Materials (1986)

## CONTENTS

1. Introduction
2. Possible sources of exposure to ionizing radiation
3. General principles of protection against ionizing radiation
4. Procedures and precautions in the event of death of a patient being treated with radioactive materials
5. Precautions to be taken in the disposal of a corpse containing radioactive materials
6. Statutory authorities
7. Bibliography

Appendix. List of statutory authorities.

Code of Practice for the Safe Handling of Corpses Containing Radioactive Materials (1986)

### 1. Introduction

1.1 This Code of Practice replaces an earlier one entitled 'Code of practice for the safe handling of corpses containing radioactive substances' published by the National Health and Medical Research Council following its Sixty-Second Session in May 1966.

1.2 The Code is intended as a guide to the safe handling of the bodies of persons who have died while undergoing treatment with radioactive substances, whether sealed or unsealed, and which still retain, in or on the body, significant amounts of radioactivity. Such corpses may act as sources of ionizing radiations to which pathologists and others attending them may unknowingly be exposed. As ionizing radiations may cause adverse biological effects in those exposed to them it is desirable to keep such exposure to a minimum.

1.3 It is recommended that radiation safety officers in hospitals and other relevant institutions prepare their own detailed administrative procedures (based on this and related Codes) and have them issued as instructions to the appropriate staff. Attention is directed particularly to related Codes already published by the National Health and Medical Research Council (listed in section 7 as numbers 1, 2 and 3) and to section 6 of this Code.

1.4 The words 'shall' and 'should', where used in this Code of Practice, have specialised meanings. 'Shall' indicates that the particular requirement is essential for adequate protection against radiation. 'Should' indicates a procedure or precaution which is to apply, wherever possible, in the interests of improving radiation protection.

## **2. Possible sources of exposure to ionizing radiation**

2.1 Radioactive materials may be used as sealed sources, temporarily or permanently embedded in the soft tissue or cavities of the body, or they may be administered to the patient as liquids by oral, intravenous or intracavitary routes. In the case of sealed sources, they may be removed at any time, and upon such removal the patient is no longer a source of radiation.

2.2 Of the radioactive materials used in medical practice only two are naturally occurring elements, the remainder consist of artificially produced radionuclides. The naturally-occurring elements are radium-226 and radon-222 in radioactive equilibrium with their decay products. Their use is rapidly declining and indeed radium-226 is rarely used now. The radionuclides most commonly used are cobalt-60, caesium-137, gold-198, iodine-125, iodine-131, iridium-192 phosphorus-32, tantalum-182 and yttrium-90.

Cobalt-60, caesium-137, iodine-125, tantalum-182 and iridium-192 are used only as sealed sources. Gold-198 and yttrium-90 may be used in sealed sources (as gold grains for permanent implantation in the tissues) or in colloidal form (for treatment by injection). Iodine-131 and phosphorus-32 are administered to the patient only as solutions.

2.3 A few 'Nuclear Battery' powered cardiac pacemakers are still in operation as implants. They are designed to withstand cremation furnace temperatures, and do not present any external radiation hazards. If known to have been implanted, such devices should be removed and the appropriate statutory authority consulted for disposal advice.

2.4 Radioactive materials administered by oral, intravenous or intracavitary routes may become distributed throughout the body or may be selectively held in specific organs. The degree of possible hazard presented by the patient reduces with the lapse of time from the time of administration of the radioactive material. This reduction arises partly from the normal decay of the radioactivity of the material used and partly from the excretion of the material from the body.

2.5 A patient who had received the very small amounts of radioactive materials used for diagnostic or tracer tests presents no hazard to anyone called upon to attend the corpse and is not considered further in this Code.

## **3. General principles of protection against ionizing radiation**

3.1 Exposure of individuals to radiations emitted by radioactive materials retained in or on a corpse can be reduced by adopting any or all of the following precautions-

3.1.1 Removing the radioactive materials as soon as possible. (See paragraphs 4.2, 4.6.1 and 4.6.3.)

3.1.2 Working expeditiously to reduce the time of exposure.

3.1.3 Working at a distance from radioactive material rather than working unnecessarily close to it.

3.1.4 Working, where necessary, behind adequate shielding.

## **4. Procedures and precautions in the event of death of a patient being treated with radioactive materials**

4.1 Should a patient die during treatment with radioactive materials, the specialist medical officer concerned shall be responsible for ensuring, after consultation with the radiation safety officer, that exposure to radiation of any persons handling the body is minimized.

4.2 Any sealed radioactive sources, other than permanent implants, must be

removed by a competent person and accounted for before any further action is taken.

4.3 The radiation safety officer of a hospital at which treatment was given shall be consulted on the radiation problems likely to be met in making an autopsy or in the disposal of the body.

4.4 When a body is to be released for direct burial without embalming no special precautions are normally required, but recommendations by the hospital radiation safety officer shall be observed.

#### **4.5 Autopsies-general comments**

4.5.1 If a corpse contains less than any of the following activities -

- 150 MBq radon-222, colloidal yttrium-90 or gold-198,
- 300 MBq phosphorus-32,
- 450 MBq iodine-131, sealed yttrium-90 or gold-198,

the procedures normally observed during autopsy are adequate for the examination unless such examinations are carried out frequently in the same institution.

4.5.2 If, however, a corpse contains radioactive material of activity in excess of the levels given in paragraph 4.5.1, or if autopsies on corpses containing radioactive substances are frequently carried out in the same institution, the pathologist should, in consultation with the radiation safety officer, be informed of the radiation levels likely to be encountered and of the hazards involved. The methods employed and the precautions adopted should be chosen accordingly.

4.5.3 It is possible that an autopsy might be performed on a corpse containing radioactive material having an activity greater than specified in paragraph 4.5.1 without the knowledge of the medical officer concerned. In these circumstances the pathologist may not have been made aware of the presence of radioactive materials. As soon as such an incident is discovered, it should be reported to the radiation safety officer, so that proper decontamination and review of radiation exposure to pathologist and staff may be conducted.

4.5.4 Occasionally corpses are assigned to medical schools for dissection or are to be transported overseas. Any hazards to persons involved in these operations or the need for compliance with international transport regulations depend on several factors relating to the nature of the radioactive sources. In most instances the issue is resolved by keeping the corpse in appropriate cold storage until ten half-lives of radioactive decay have passed. The hospital or institution radiation safety officer shall be consulted for guidance.

#### **4.6 Autopsies-general precautions.**

This section is to be read in conjunction with instructions issued by the radiation safety officer (1.3).

4.6.1 Sealed sources of high-energy gamma rays, permanently implanted in the tissues (e.g. radon-222 or gold-198 seeds) should be removed, by block dissection if necessary, before the examination proceeds and stored at least 3 metres from the working area. The sources themselves should be disposed of as radioactive waste.

4.6.2 If it is known that the radioactive material used for treatment will have been selectively absorbed in a particular organ, e.g. iodine-131 in the thyroid, the organ should be excised before the examination proceeds and removed from the work area. It may later be disposed of with the body.

4.6.3 If it is known that radioactive material used for treatment will be distributed in particular body fluids these should be drained off, using suitable equipment, before the examination proceeds. In general, these fluids may be safely disposed of via the

sewerage system having regard to the requirements of legislation (see section 6). The equipment should later be decontaminated by thorough rinsing in a detergent solution followed by washing in running water.

4.6.4 Immediately after the post-mortem examination has been completed, radioactive contamination arising from the use of unsealed radioactive materials can be reduced by procedures devised in consultation with the radiation safety officer. Every effort shall be made to adopt procedures which minimise contamination, and any contamination should be removed immediately after the post mortem examination has been completed.

## **5. Precautions to be taken in the disposal of a corpse containing radioactive materials**

5.1 No special precautions are normally required in the direct burial, without embalming, of corpses containing residual therapeutic doses of radionuclides, but recommendations by the hospital radiation safety officer shall be observed.

5.2 No special precautions are necessary for the embalming and burial of corpses containing not more than those levels of activity specified in paragraph 4.5.1.

5.3 Corpses containing activities greater than those specified in paragraph 4.5.1 should not normally be embalmed, but if there are special reasons for doing so in a particular case the embalmer should first consult the radiation safety officer at the hospital where treatment was given. All corpses in this category shall have a label attached, identifying the radionuclide and its activity at the time of death.

5.4 No special precautions are necessary for the cremation of corpses containing not more than 1000 MBq of yttrium-90, iodine-131, gold-198, iodine-125, radon-222 or, 400 MBq of phosphorus-32. Corpses containing levels in excess of these values should be stored until these limits are reached.

5.5 The possibility that special circumstances may arise in the transport of a corpse containing radioactive materials should be considered in relation to the requirements of legislation covering the transport of radioactive materials. (See also Section 6.)

## **6. Statutory Authorities**

Legislation covering the transport and use of radioactive materials exists in all States and Territories of Australia.

This legislation is administered by the State or Territory Health Authority. Matters such as permissible levels of exposure, working conditions and personal monitoring are covered by the legislation. A list of State and Territory Authorities who should be consulted in relation to regulatory matters is included in the Appendix.

## **7. Bibliography**

1. 'Recommended Radiation Protection Standards for Individuals Exposed to Ionizing Radiation'. National Health and Medical Research Council, Canberra, 1981.
2. 'Code of Nursing Practice for Staff Exposed to Ionizing Radiation (1984)'. National Health and Medical Research Council, Canberra, 1985.
3. 'Code of Practice for the Control and Safe Handling of Sealed Radioactive Sources Used in Radiation Therapy (other than Teletherapy)'. National Health and Medical Research Council, Canberra, 1962 (under revision).
4. 'Recommendations Relating to the Discharge of Patients Undergoing Treatment with Radioactive Substances (1983)', National Health and Medical Research Council, Canberra, 1984.

## **Statutory authorities**

**Advice and assistance is available from the following authorities:**

1. AUSTRALIAN CAPITAL TERRITORY  
Consultant, Radiation Safety Telephone: (062) 47 2899  
A.C.T. Health Authority  
P O Box 825  
CANBERRA CITY ACT
  
2. NEW SOUTH WALES  
Officer-in-Charge Telephone: (02) 646 0222  
Radiation Health Services  
Department of Health  
P O Box 163  
LIDCOMBE NSW 2141
  
3. NORTHERN TERRITORY  
Director Telephone: (089) 80 2911  
Occupational and Environmental  
Health  
N.T. Department of Health  
G P O Box 1701  
DARWIN NT 5794
  
4. QUEENSLAND  
Director Telephone: (07) 224 5611  
Division of Health and  
Medical Physics  
Department of Health  
535 Wickham Terrace  
BRISBANE QUEENSLAND 4000
  
5. SOUTH AUSTRALIA  
Senior Health Physicist Telephone: (08) 218 3211  
Occupational Health and  
Radiation Control Branch  
South Australian Health  
Commission  
G P O Box 1313  
ADELAIDE SA 5001
  
6. TASMANIA  
Health Physicist Telephone: (002) 30 6421  
Division of Public Health  
Department of Health Services  
P O Box 191B  
HOBART TASMANIA 7001
  
7. VICTORIA  
Chief Radiation Officer Telephone: (03) 616 7777  
Radiation Safety Section  
Health Department (Victoria)  
555 Collins Street  
MELBOURNE VICTORIA 3000

8. WESTERN AUSTRALIA  
The Secretary  
Radiological Council  
Radiation Health Branch  
Health Department of  
Western Australia  
Verdun Street  
NEDLANDS WESTERN AUSTRALIA 6009

Telephone: (09) 389 2713